

WATER CHANGE PUMP

Self-Venting Submersible Pump

Please read the following points carefully before installing and using this equipment.

This submersible pump is designed to be run only whilst fully submerged in water and is rated for intermittent use only. Maximum continuous operation should not exceed 15 minutes. The pump has 3/8" (10mm) hose tails which can be adapted for 1/2" (13mm) hose by pushing on the $\frac{1}{2}"$ adaptors supplied with the pump. Please ensure that the $\frac{1}{2}"$ adaptors are pressed on firmly. Once fitted, the $\frac{1}{2}"$ adaptors cannot be removed. To operate the submersible pump, simply fit the required length of hose to the pump and then fully immerse the pump into the water.

Important Notes:

- The pump outlet should be higher than the inlet.
- To avoid air or water leaks, it is important that all hose connections are securely fastened.
- Do not run the pump dry (without water).
- Do not use the pump in water temperature above 60°C (140°F)
- It is best to stand the submersible pump vertically in the tank.
- Maximum continuous operation should not exceed 15 minutes.

Top Tips For Best Performance:

To ensure maximum efficiency and lifespan of the pump, please note the following points:

- Before switching on, place the pump in water and shake for a few seconds in a horizontal or inverted position to release any trapped air. This will ensure successful priming and should be repeated after refilling the water tank.
- Check that all hose connections are secure and airtight. Please note that it is possible to have an air leak without having a water leak.

This product is covered by 1 year's warranty. Please see the following statement of limited warranty:

The Company shall not be liable for any indirect loss or for any special, incidental, punitive or consequential damages suffered by the Purchaser and/or any other person whether this loss arises from breach of a duty in contract or tort or breach of a statutory duty or in any other way including without limitation loss arising from the negligence, default, breach of duty, non-delivery, delay in delivery or defects or errors in the work undertaken by the Company pursuant to the terms of this statement or in connection with any other claim. In particular the Company shall not be liable (without limitation) for: loss of profits, increased production costs or other economic injury or loss; loss of contracts or opportunity; damage to property of the purchaser or anyone else; personal injury is attributable to the Company's negligence. This statement sets out the Company's entire liability in respect of the products and the Company's liability under this statement shall be in lieu of all other warranties, conditions, terms and liabilities, express or implied, statutory or otherwise howsoever except any implied by law which cannot be excluded. The above does not affect the statutory rights of the consumer.

EC Declaration of Conformity

Description of Equipment: Standard, Premium and High Flow pumps.

We hereby declare, under our sole responsibility, that the above equipment complies with the provisions of the following EC Directives: Electromagnetic Compatibility Directive 89/336 EEC, amended by 92/31/EEC and 93/68/EEC on the approximation of the laws of the Member States relating to electromagnetic compatibility. CE mark affixed: 20/9/06 Basis on which conformity is declared. The above equipment complies with the protection requirements of the EMC Directive.

Standards applied:

- EN60335-1:2002 Safety of household and similar electrical appliances.
- EN60335-2-41:2003 Particular requirements for pumps.
- EN55014-1:2000 Electromagnetic compatibility. Requirements for household appliances, electric tools and similar apparatus.

